

Digital freedom





With the DKS 1510, your doorway to digital is opened...

Access to a new range of services, provide a potential windfall for your wallet...

Concentrated technology, the DKS 1510 delivers unrivalled printing quality.



Breakthrough technologies to improve your print quality.



> MSB[™]:

Revolutionary exposure system, reliable (the only 5 year warranty in the industry) allowing 340 dpi in 8x12" (20x30 cm)

im-1500 film scanner



APS

film carrier

- - Productivity: 56 films/hr⁽⁴⁾
- ADSR: the im-1500 film scanner uses infrared detection to automatically detect and digitally remove dust and scratches from scanned film.
 - 2 High definition Kodak KLI CCDs, 6 000 pixels

120-220

film carrier (1)

> Eye-Tech Digital Science:

the software that **automatically** enhances and improves your photos. Give the state of the art photo quality to your customers.



Versatile, the DKS processes your media perfectly.

> Traditional inputs

135 films, 120-220 films⁽¹⁾, APS films, mounted slides⁽²⁾



> Digital inputs

Compact Flash[™] type I & II, Memory Stick[®] & Memory Stick Pro[®], Smart Media[™], MMC, SD Card, xD Picture Card[™], IBM MicroDrive[™] Card



Floppy disk, CD, 250 Mb ZIP⁽¹⁾



Bluetooth^{®(1)}, Wi-Fi[®] and 2 front side USB ports for digital photo transfer from digital cameras, cameraphones and PDAs.

Bluetooth



> Prints A4 flatbed scanner⁽¹⁾





your imagination is the limit!

Offer a wide variety of DKS services:



- Contact sheets

Calendars

- Greeting cards
- Frames/Borders
- Add custom front side text
- Business cards
- Passport prints
- Package print sheets
- Compositions
- CD index/CD Case Cover
- KIS Photo Viewer: your customers can enjoy their digital photos on their own computer



DKS Customer Statio

Offer your oustomens is feat, second, solf services with a constant professionnal printing quality
Countomens select and edit the digits photos they want on page
You control the printing accord
to your peyment, pulity

(1) Optional.

(2) Future option.

(3) Using SP 20 EM chemistry, in high resolution.

(4) 24 exposures film, in automatic mode, HR, scan only, with index and without dust and scratch removal - 43 films/hr with dust and scratch removal.

(5) Data subject to change without prior notice from manufacturer.







Not just a new machine, but a tool to simplify your work...

DKS WorkStation

A second workstation on-line with the minilab.
Doubles the image acqueition capacity.

· Assista you in promoting and processing

value added services for your costamers.

Simple operation

- > User-friendly and intuitive interface: up to 40 images on the screen
- Machine and format status simply and clearly displayed: print count, prints in process, paper processor status, paper magazines loaded (paper type, paper size and paper length remaining).
- > Concentrated chemistry: no-mixing & easy chemical changes, automatically monitored and metered.
- > Modular design: simple access to all areas of the system for easy maintenance.
- > Remote maintenance: service diagnostics and access via internal modem & "pcAnywhere[™] software" (requires dial-up phone line access to DKS).

Maximum flexibility

- > 3 click express service: the unique DKS archiving feature allows the user to recall over 50,000⁽⁵⁾ previously printed images that can be retrieved with previous corrections and crop settings - Reprint, enlarge or enhance with as little as 3 clicks !
- > Connectivity: LAN Ethernet to PC or MAC⁽²⁾, Wi-Fi[®].

Offer more to your customers

A new service era

IPS⁽²⁾ Internet Print Service: an online digital photo printing service to expand your business.



Add a new dimension to your business

- > DKS 1510: open architecture allows you to widen your business opportunities.
- Peripherals⁽¹⁾: DKS WorkStation, DKS Customer Station, A4 flatbed scanner, large format printer⁽²⁾.



Type : Digital printer

- Processing capacity⁽¹⁾: 800 prints/hr in 5" and 6" width (127 & 152 mm) for traditional and digital inputs
- Exposure system: MSB[™] (Microlens Sharpened Beam), 340 dpi in 8x12" (20x30 cm)
- Paper loading: a bottom simple track magazine
- Paper: any RA 4 compatible silver-halide paper
- Paper width: from 89 to 210 mm (3.5" to 8.25")
- Paper advance: from 102 to 304 mm (4" to 12")
- Printing formats: from 3.5x5" (9x13 cm) up to 8.25x12" (21x30 cm)
- Chemistry: SP 20 EM or other homogeneous monopart RA 4 chemistry
- Processing time: 129 sec. dry to dry⁽¹⁾
- Scanner resolution: up to 2700 x 4000 pixels, high resolution (135 films)
- Traditional inputs: 135 films, APS films, mounted slides⁽⁶⁾, 120-220 films⁽²⁾, A4⁽²⁾
- Digital inputs: floppy disk, 250 Mb ZIP⁽²⁾, CD-ROM, all digital camera memory cards⁽³⁾ : Compact Flash[™] type I & II, Memory Stick® & Memory StickPro®, Smart Media[™], MMC, SD Card, xĎ Picture Card[™], IBM MicroDrive[™] card, Wi-Fi[®], BlueTooth^{®(2)}

 (\mathcal{N})

specification

Fechnical

- LAN Ethernet
- Integrated Wi-Fi[®] compatible card
- 2 USB ports for direct access

- DKS WorkStation
- DKS Customer Station
- External workstation / Computer (PC or Macintosh)
- A4 flatbed scanner
- Large format printer⁽⁶⁾

- Single-channel type colour and density analysis
- Contrast adjustment according to film exposure

- Red-eye removal
- Chromatic and sepia effect
- Density, contrast and saturation
- Flash effects and backlight
- Density "spot" function: to adjust the image density according to an area designated by the mouse and cursor
- Colour "spot" function: to adjust the image chromatic balance according to an area designated by the mouse and cursor
- Automatic enhancement of digital files in one click
- Sharpness enhancement

- Printing modes: full image, full paper, or automatic advance
- White borders
- Cropping (zoom for center and off-center cropping)
- Frames, calendars, greeting cards, business cards
- Passport prints
- Composition of several formats on 1 print Package print sheet
- Retouching and special effects
- Add custom front side text

- From any sources, on any paper formats
- · Personalized with a logo chosen in the logo library up to 8 logos can be maintened

- High resolution option for detailed selection
- · Personalized with a logo chosen in the logo library

- 2 lines of 40 letters maximum
- Multiple options Customized versions can be created and stored

Sorter: dual-lane individual stacks; up to 10 orders

- More than 50 000⁽⁵⁾ images in memory archiving
- Burn or write image to floppy disk, ZIP⁽²⁾ and/or CD-ROM

Operating System: Windows XP

Monitor: 17" CRT screen

- 120-220 film carrier
- 250 Mb ZIP
- BlueTooth[®]
- Internet Print Service
- Second top paper magazine (single track)
- 17" CRT touch screen

• 1 845,5 (W) x 1 619 (H) x 816 (D) mm 72.5" (W) x 63.7" (H) x 32.1" (D)

Floor surface: 1,32 m²; 14.2 sq ft

(1) Using SP 20 EM chemistry in high resolution.


- (2) Optional.
- (3) Some formats accessible via an optional Compact Flash™ adapter, capability determined by card/card reader manufacturer specifications.
- (4) All corrections, with the exception of red eye removal, can be applied to 1 image, to a selection of several images or to all the images of an order in 1 operation.
- (5) Data subject to change without prior notice from manufacturer.
- (6) Future option.





ΞĿ

1845,5





816

